

A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		1 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
1.	12-013-21-03	SERVICE THE LEFT ENGINE CONSTANT SPEED DRIVE RESERVOIR CASE OIL. (1) APPLICABLE TO AIRPLANES WITH CSD SYSTEM.	MPD B12-13-21-3A-1 (A1)	AFG-PID-26085-12 17	
2.	12-013-21-04	SERVICE THE RIGHT ENGINE CONSTANT SPEED DRIVE RESERVOIR CASE OIL. (1) APPLICABLE TO AIRPLANES WITH CSD SYSTEM.	MPD B12-13-21-3A-2 (A1)	AFG-PID-26085-12 17	
3.	27-011-02-01	VISUALLY CHECKTHE LEFT AILERON, AILERON TAB, AND EXPOSED LINKAGES FOR CONDITION AND SECURITY OF INSTALLATION.	MPD B27-11-00-A-1 (A1)	AFG-PID-26085-12 17	
4.	27-011-02-02	VISUALLY CHECKTHE RIGHT AILERON, AILERON TAB, AND EXPOSED LINKAGES FOR CONDITION AND SECURITY OF INSTALLATION.	MPD B27-11-00-A-2 (A1)	AFG-PID-26085-12 17	
5.	27-060-00-01	VISUALLY CHECK THE LEFT WING LEADING EDGE FLAPS, SLATS, SPOILERS AND VISIBLE ACTUATING MECHANISMS FOR CONDITION AND SECURITY OF INSTALLATION.	MPD B27-60-00-A-1 (A1)	AFG-PID-26085-12 17	
6.	27-060-00-02	VISUALLY CHECK THE RIGHT WING LEADING EDGE FLAPS, SLATS, SPOILERS, AND VISIBLE ACTUATING MECHANISMS FOR CONDITION AND SECURITY OF INSTALLATION.	MPD B27-60-00-A-2 (A1)	AFG-PID-26085-12 17	
7.	31-026-03-01	OPERATIONALLY CHECK THE TAKEOFF0 WARNING SYSTEM (ENGINES NOT RUNNING).	MPD B31-26-00-5D (A1)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		2 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
8.	32-011-04-01	VISUALLY CHECKTHE LEFT MAIN LANDING AND WHEEL WELL HYDRAULIC COMPONENTS FOR LEAKAGE AND OBVIOUS DAMAGE.	MPD B32-11-00-A-1 (A1)	AFG-PID-26085-12 17	
9.	32-011-04-02	VISUALLY CHECK THE RIGHT MAIN LANDING GEAR AND WHEEL WELL HYDRAULIC COMPONENTS FOR LEAKAGE AND OBVIOUS DAMAGE.	MPD B32-11-00-A-2 (A1)	AFG-PID-26085-12 17	
10.	32-021-03-01	VISUALLY CHECKTHE NOSE LANDING GEAR AND WHEEL WELL HYDRAULIC COMPONENTS FOR LEAKAGE AND OBVIOUS DAMAGE.	MPD B32-21-00-A (A1)	AFG-PID-26085-12 17	
11.	33-051-02-01	CHECK OPERATION OF INTERIOR EMERGENCY EXIT LIGHTS, INCLUDING FLOOR PROXIMITY LIGHTS.	MPD B33-51-02-5A (A1)	AFG-PID-26085-12 17	
12.	49-015-00-01	VISUALLY CHECK THE APU INLET/EXHAUST FOR OBVIOUS DAMAGE AND OBSTRUCTIONS. (1) APPLIES TO ALL APU'S.	MPD B49-15-00-B (A1)	AFG-PID-26085-12 17	
13.	53-001-00-01	VISUALLY CHECKTHE UPPER FUSELAGE EXTERIOR STRUCTURE INCLUDING ENTRY AND GALLEY/SERVICE DOORS, EMERGENCY HATCHES AND PANELS FOR PROPER FIT, CONDITION A	MPD B53-00-00-A (A1)	AFG-PID-26085-12 17	
14.	53-001-01-01	VISUALLY CHECKTHE LOWER FUSELAGE EXTERIOR STRUCTURE INCLUDING ACCESS PANELS, SERVICE DOORS, CARGO DOORS AND FORWARD AIRSTAIR DOOR (IF INSTALLED) FOR P	MPD B53-00-00-B (A1)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		3 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
15.	53-001-02-01	VISUALLY CHECKTHE EXTERIOR SURFACE OF THE TAIL COMPARTMENT AND TAIL CONE INCLUDING ACCESS DOORS FOR PROPER FIT, CONDITION AND SECURITY OF INSTALLATION	MPD B53-00-00-C (A1)	AFG-PID-26085-12 17	
16.	53-014-00-01	VISUALLY CHECK THE LEFT MAIN LANDING GEAR WHEELWELL AREA STRUCTURE AND COMPONENTS INCLUDING CABLES, WIRING, SENSING ELEMENTS AND TUBING FOR CONDITION	MPD B53-14-00-A-1 (A1)	AFG-PID-26085-12 17	
17.	53-014-00-02	VISUALLY CHECK THE RIGHT MAIN LANDING GEAR WHEELWELL AREA STRUCTURE AND COMPONENTS INCLUDING CABLES, WIRING, SENSING ELEMENTS AND TUBING FOR CONDITION	MPD B53-14-00-A-2 (A1)	AFG-PID-26085-12 17	
18.	53-014-01-01	VISUALLY CHECK THE NOSE LANDING GEAR WHEELWELL AREA STRUCTURE AND COMPONENTS INCLUDING CABLES, WIRING, AND TUBING FOR CONDITION AND SECURITY OF INSTAL	MPD B53-14-00-B (A1)	AFG-PID-26085-12 17	
19.	55-001-00-01	CHECK VERTICAL FIN AND RUDDER, VISIBLE PORTIONS OF HORIZONTAL STABILIZERS AND ELEVATORS FOR MISSING VORTEX GENERATORS, STATIC DISCHARGERS AND FOR OBVI	MPD B55-00-00-A (A1)	AFG-PID-26085-12 17	
20.	55-010-00-01	VISUALLY CHECK EXTERNALLY THE LEFT HORIZONTAL STABILIZER, ELEVATOR AND ELEVATOR CONTROL TAB	MPD B55-10-00-A-1 (A1)	AFG-PID-26085-12 17	
21.	55-010-00-02	VISUALLY CHECK EXTERNALLY THE RIGHT HORIZONTAL STABILIZER, ELEVATOR AND ELEVATOR CONTROL TAB, INCLUDING BULB SEAL, SLIDING SEAL AND ACCESS PANELS, FOR	MPD B55-10-00-A-2 (A1)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		4 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
22.	55-030-00-01	VISUALLY CHECK EXTERNALLY THE VERTICAL STABILIZER, RUDDER, ACCESS PANELS AND ELEVATOR FEEL PITOT HEADS FOR CONDITION AND SECURITY OF INSTALLATION.	MPD B55-30-00-A (A1)	AFG-PID-26085-12 17	
23.	57-001-00-01	VISUALLY CHECKWING UPPER SURFACES, PANELS, SPOILERS AND VORTEX GENERATORS FOR OBVIOUS DAMAGE (AS VIEWED THROUGH CABIN WINDOWS).	MPD B57-00-00-C (A1)	AFG-PID-26085-12 17	
24.	57-001-01-01	CHECK LEFT AND RIGHT WING LOWER SURFACES, CONTROL SURFACES, WING TIPS AND TANK VENTS, FROM GROUND LEVEL, FOR OBVIOUS DAMAGE AND FUEL LEAKAGE.	MPD B57-00-00-D (A1)	AFG-PID-26085-12 17	
25.	57-011-00-01	VISUALLY CHECK THE LEFT WING TRAILING EDGE FLAPS AND COMPONENTS FOR CONDITION AND SECURITY OF INSTALLATION. NOTE: WITH TRAILING EDGE FLAPS EXTENDED.	MPD B57-11-00-A-1 (A1)	AFG-PID-26085-12 17	
26.	57-011-00-02	VISUALLY CHECK THE RIGHT WING TRAILING EDGE FLAPS AND COMPONENTS FOR CONDITION AND SECURITY OF INSTALLATION. NOTE: WITH TRAILING EDGE FLAPS EXTENDED.	MPD B57-11-00-A-2 (A1)	AFG-PID-26085-12 17	
27.	78-031-03-01	WITH LEFT ENGINE REVERSERS STOWED, VISUALLY CHECK THE FAN THRUST REVERSER ASSEMBLY	MPD C78-31-00-A-1 (A1)	AFG-PID-26085-12 17	
28.	78-031-03-02	WITH RIGHT ENGINE REVERSERS STOWED, VISUALLY CHECK THE FAN THRUST REVERSER ASSEMBLY	MPD C78-31-00-A-2 (A1)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		5 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
29.	12-013-31-01	SERVICE THE APU OIL. (1) APPLICABLE TO AIRPLANES WITH GARRETT GTCP85-129 APU.	MPD B12-13-31-3A (A2)	AFG-PID-26085-12 17	
30.	12-013-51-01	SERVICE THE LEFT PACK AIR CYCLE MACHINE OIL QUANTITY AND VISUALLY CHECK FOR EVIDENCE OF WATER CONTAMINATION IN OIL SUMP.	MPD B12-13-51-3A-1 (A2)	AFG-PID-26085-12 17	
31.	12-013-51-02	SERVICE THE RIGHT PACK AIR CYCLE MACHINE OIL QUANTITY AND VISUALLY CHECK FOR EVIDENCE OF WATER CONTAMINATION IN OIL SUMP.	MPD B12-13-51-3A-2 (A2)	AFG-PID-26085-12 17	
32.	12-013-61-01	SERVICE LEFT PACK RAM AIR TURBOFAN OIL QUANTITY AND VISUALLY CHECK FOR EVIDENCE OF WATER CONTAMINATION IN OIL SUMP.	MPD B12-13-61-3A-1 (A2)	AFG-PID-26085-12 17	
33.	12-013-61-02	SERVICE RIGHT PACK RAM AIR TURBOFAN OIL QUANTITY AND VISUALLY CHECK FOR EVIDENCE OF WATER CONTAMINATION IN OIL SUMP.	MPD B12-13-61-3A-2 (A2)	AFG-PID-26085-12 17	
34.	12-021-11-01	LUBRICATE THE L/H MAIN LANDING GEAR.	MPD B12-21-11-A-1 (A2)	AFG-PID-26085-12 17	
35.	12-021-11-02	LUBRICATE THE R/H MAIN LANDING GEAR.	MPD B12-21-11-A-2 (A2)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		6 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
36.	12-021-22-01	LUBRICATE THE NOSE LANDING GEAR.	MPD B12-21-21-J (A2)	AFG-PID-26085-12 17	
37.	12-022-51-01	LUBRICATE THE LEFT WING TRAILING EDGE FLAP TRANSMISSION NO 4 BALL SCREW RESERVOIR WITH LUBRICATING OIL.	MPD B12-22-51-3A-1 (A2)	AFG-PID-26085-12 17	
38.	12-022-51-02	LUBRICATE THE RIGHT WING TRAILING EDGE FLAP TRANSMISSION NO 5 BALL SCREW RESERVOIR WITH LUBRICATING OIL.	MPD B12-22-51-3A-2 (A2)	AFG-PID-26085-12 17	
39.	12-022-52-01	LUBRICATE THE LEFT WING TRAILING EDGE FLAP TRANSMISSION BALL SCREW RESERVOIR.	MPD B12-22-51-3B-1 (A2)	AFG-PID-26085-12 17	
40.	12-022-52-02	LUBRICATE THE RIGHT WING TRAILING EDGE FLAP TRANSMISSION BALL SCREW RESERVOIR.	MPD B12-22-51-3B-2 (A2)	AFG-PID-26085-12 17	
41.	12-022-61-01	LUBRICATE THE LEFT WING TRAILING EDGE OUTBOARD SEQUENCE CARRIAGE TRACK UPPER AND LOWER SURFACE.	MPD B12-22-51-3J-1 (A2)	AFG-PID-26085-12 17	
42.	12-022-61-02	LUBRICATE THE RIGHT WING TRAILING EDGE OUTBOARD SEQUENCE CARRIAGE TRACK UPPER AND LOWER SURFACE.	MPD B12-22-51-3J-2 (A2)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		7 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
43.	12-025-07-01	LUBRICATE THE LEFT MAIN LANDING GEAR SUPPORT BEAM.	MPD B12-25-07-A-1 (A2)	AFG-PID-26085-12 17	
44.	12-025-07-02	LUBRICATE THE RIGHT MAIN LANDING GEAR SUPPORT BEAM.	MPD B12-25-07-A-2 (A2)	AFG-PID-26085-12 17	
45.	21-058-02-01	OPERATIONALLY TEST THE EFIS EQUIPMENT COOLING SUPPLY SYSTEM.	MPD B21-58-02-5A (A2)	AFG-PID-26085-12 17	
46.	21-058-04-01	OPERATIONALLY CHECK THE ELECTRONIC/ELECTRICAL COOLING SYSTEM ALTERNATE BLOWERS.	MPD B21-58-03-5A (A2)	AFG-PID-26085-12 17	
47.	25-052-02-01	VISUALLY CHECK THE FORWARD AND AFT CARGO DOORS, DOOR SEALS AND COMPARTMENTS FOR OBVIOUS DAMAGE.	MPD B25-52-00-E (A2)	AFG-PID-26085-12 17	
48.	25-052-60-01	VISUALLY CHECK THE FORWARD CARGO COMPARTMENT LINERS FOR DAMAGE, HOLES AND TEARS.	MPD B25-52-60-6A (A2)	AFG-PID-26085-12 17	
49.	25-052-60-02	VISUALLY CHECK THE AFT CARGO COMPARTMENT LINERS FOR DAMAGE, HOLES AND TEARS.	MPD B25-52-60-6B (A2)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		8 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
50.	27-051-00-01	OPERATIONALLY CHECK THE TRAILING EDGE FLAP ASYMMETRY SYSTEM.	MPD B27-51-00-5A (A2)	AFG-PID-26085-12 17	
51.	27-051-94-02	OPERATIONALLY CHECK THE TRAILING EDGE FLAP LOAD LIMITER TEST CIRCUIT.	MPD B27-51-94-5A (A2)	AFG-PID-26085-12 17	
52.	29-015-34-01	REPLACE SYSTEM "A" HYDRAULIC ELECTRIC MOTOR DRIVEN PUMP (EMDP) CASE DRAIN FILTER ELEMENT.	MPD B29-15-34-2A-1 (A2)	AFG-PID-26085-12 17	
53.	29-015-34-02	REPLACE SYSTEM "B" HYDRAULIC ELECTRIC MOTOR DRIVEN PUMP (EMDP) CASE DRAIN FILTER ELEMENT.	MPD B29-15-34-2A-2 (A2)	AFG-PID-26085-12 17	
54.	29-015-62-01	VISUALLY CHECK THAT THE HYDRAULIC SYSTEM RETURN FILTER DIFFERENTIAL PRESSURE INDICATORS (RED) ARE OUT OF VIEW.	MPD B29-15-61-A (A2)	AFG-PID-26085-12 17	
55.	32-001-00-01	CHECK LANDING GEAR DOORS AND WHEEL WELL BLADE TYPE SEALS FOR CONDITION AND SECURITY.	MPD B32-00-00-D (A2)	AFG-PID-26085-12 17	
56.	32-010-00-01	VISUALLY CHECK THE LEFT MAIN LANDING GEAR, SHOCK/SIDE/DRAG STRUTS, DOORS, TORQUE LINKS, GEAR ACTUATOR AND ASSOCIATED HARDWARE FOR CONDITION AND SECURITY OF INSTALLATION.	MPD B32-00-00-D (A2)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		9 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
57.	32-010-00-02	VISUALLY CHECK THE RIGHT MAIN LANDING GEAR, SHOCK/SIDE/DRAG STRUTS, DOORS, TORQUE LINKS, GEAR ACTUATOR AND ASSOCIATED HARDWARE FOR CONDITION AND SECURITY OF INSTALLATION.	MPD B32-10-00-A-2 (A2)	AFG-PID-26085-12 17	
58.	32-020-00-01	VISUALLY CHECK THE NOSE LANDING GEAR, STRUT, DRAG BRACES, ACTUATORS, TORQUE LINKS, STEERING MECHANISM, TOWING AND STEERING COLLAR LINK ASSEMBLY, DOORS AND ASSOCIATED HARDWARE FOR CONDITION AND SECURITY OF INSTALLATION.	MPD B32-20-00-A (A2)	AFG-PID-26085-12 17	
59.	32-061-01-01	VISUALLY CHECK THE MAIN AND NOSE LANDING GEAR DOWN AND LOCKED POSITION INDICATORS FOR CONDITION AND CLEAN AS NECESSARY.	MPD B32-61-00-A (A2)	AFG-PID-26085-12 17	
60.	49-016-11-01	CHECK AND CLEAN THE APU LOWER SHROUD DRAINS. CHECK SHROUD DRAIN CUPS FOR EVIDENCE OF EROSION DAMAGE.	MPD B49-16-11-7A (A2)	AFG-PID-26085-12 17	
61.	49-031-71-01	CHECK AND CLEAN THE APU TURBINE PLENUM AND BURNER CAN DRAINS.	MPD B49-31-71-6A (A2)	AFG-PID-26085-12 17	
62.	77-031-00-07	DOWNLOAD LEFT ENGINE AVM SYSTEM DATA. NOTE: APPLICABLE TO PRE CFMI SB 72-437, NON OIL DAMPED NO.5 BEARING ENGINES. REFERENCE CFMI CESM NO. 20.	MPD C77-31-00-2A-1 (A2)	AFG-PID-26085-12 17	
63.	77-031-00-08	DOWNLOAD RIGHT ENGINE AVM SYSTEM DATA. NOTE: APPLICABLE TO PRE CFMI SB 72-437, NON OIL DAMPED NO.5 BEARING ENGINES. REFERENCE CFMI CESM NO. 20.	MPD C77-31-00-2A-2 (A2)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		10 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
64.	79-001-01-01	VISUALLY CHECK THE FOLLOWING LEFT ENGINE LUBRICATION UNIT MAGNETIC CHIP DETECTORS FOR CONTAMINATION.	MPD C79-00-00-6B-1 (A2)	AFG-PID-26085-12 17	
65.	79-001-01-02	VISUALLY CHECK THE FOLLOWING RIGHT ENGINE LUBRICATION UNIT MAGNETIC CHIP DETECTORS FOR CONTAMINATION.	MPD C79-00-00-6B-2 (A2)	AFG-PID-26085-12 17	
66.	79-021-00-01	VISUALLY CHECK THAT THE LEFT ENGINE MAIN AND SCAVENGE OIL FILTER BYPASS INDICATORS HAVE NOT ACTUATED.	MPD C79-21-00-A-1 (A2)	AFG-PID-26085-12 17	
67.	79-021-00-02	VISUALLY CHECK THAT THE RIGHT ENGINE MAIN AND SCAVENGE OIL FILTER BYPASS INDICATORS HAVE NOT ACTUATED.	MPD C79-21-00-A-2 (A2)	AFG-PID-26085-12 17	
68.	80-011-01-01	VISUALLY CHECK THE LEFT ENGINE STARTER MAGNETIC CHIP DETECTOR PLUG FOR CONTAMINATION.	MPD C80-11-01-6A-1 (A2)	AFG-PID-26085-12 17	
69.	80-011-01-02	VISUALLY CHECK THE RIGHT ENGINE STARTER MAGNETIC CHIP DETECTOR PLUG FOR CONTAMINATION.	MPD C80-11-01-6A-2 (A2)	AFG-PID-26085-12 17	
70.	12-013-23-03	SERVICE THE LEFT ENGINE CSD INPUT SPLINE OIL.	MPD B12-13-21-3C-1 (A4)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		11 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
71.	12-013-23-04	SERVICE THE RIGHT ENGINE CSD INPUT SPLINE OIL.	MPD B12-13-21-3C-2 (A4)	AFG-PID-26085-12 17	
72.	12-013-41-01	REPLACE THE LEFT ENGINE STARTER OIL.	MPD B12-13-41-3B-1 (A4)	AFG-PID-26085-12 17	
73.	12-013-41-02	REPLACE THE RIGHT ENGINE STARTER OIL.	MPD B12-13-41-3B-2 (A4)	AFG-PID-26085-12 17	
74.	12-015-11-01	OPERATIONALLY CHECK THE HYDRAULIC BRAKE ACCUMULATOR PRECHARGE PRESSURE AND SERVICE AS REQUIRED.	MPD B12-15-11-3A (A4)	AFG-PID-26085-12 17	
75.	21-061-03-01	CLEAN AND VISUALLY CHECK THE CONTROL CABIN TEMPERATURE ENSORS, INLET GRILLS AND SENSE LINES FOR CONDITION AND SECURITY OF INSTALLATION.	MPD B21-61-00-7A (A4)	AFG-PID-26085-12 17	
76.	22-011-33-01	VISUALLY CHECK THE FLIGHT CONTROL COMPUTER COOLING FAN FILTER FOR DIRT ACCUMULATION.	MPD B22-11-33-2A (A4)	AFG-PID-26085-12 17	
77.	24-011-33-01	VISUALLY CHECK THAT THE LEFT ENGINE VSCF/CSD GENERATOR DRIVE LINE OIL FILTER CLOGGING INDICATOR HAS NOT ACTUATED.	MPD B24-11-31-A-1 (A4)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		12 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
78.	24-011-33-02	VISUALLY CHECK THAT THE RIGHT ENGINE VSCF/CSD GENERATOR DRIVE LINE OIL FILTER CLOGGING INDICATOR HAS NOT ACTUATED.	MPD B24-11-31-A-2 (A4)	AFG-PID-26085-12 17	
79.	24-011-42-01	VISUALLY CHECK THAT THE LEFT ENGINE CSD/GENERATOR DRIVE INTEGRAL FILTER CLOGGING INDICATOR HAS NOT ACTUATED.	MPD B24-11-41-A-1 (A4)	AFG-PID-26085-12 17	
80.	24-011-42-02	VISUALLY CHECK THAT THE RIGHT ENGINE CSD/GENERATOR DRIVE INTEGRAL FILTER CLOGGING INDICATOR HAS NOT ACTUATED.	MPD B24-11-41-A-2 (A4)	AFG-PID-26085-12 17	
81.	24-031-11-01	SHOP TESTS (OFF AIRCRAFT) THE BATTERY CAPACITY & RECONDITIONTHE BATTERY. INTERVAL NOTE: ORIG MPD INTVL. 4A, AD 99-24-08CALLS FOR A NEW OR RECONDITIONED AIRPLANE BATTERY AT INTERVALS NOT TO EXCEED 750 FLIGHT HOURS.	B24-31-11-2A (A4)	AFG-PID-26085-12 17	
82.	25-040-00-01	CHECK ALL LAVATORY PAPER AND LINEN WASTE RECEPTACLE ENCLOSURE ACCESS DOORS AND DISPOSAL DOORS FOR PROPER OPERATION, FIT, SEALING AND LATCHING.	MPD B25-40-00-A (A4)	AFG-PID-26085-12 17	
83.	26-011-11-01	VISUALLY CHECK THE LEFT ENGINE FIRE/OVERHEAT DETECTOR ELEMENTS, ASSOCIATED WIRING AND SUPPORT CLAMPS FOR CONDITION AND SECURITY OF INSTALLATION.	MPD B26-11-11-A-1 (A4)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		13 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
84.	26-011-11-02	VISUALLY CHECK THE RIGHT ENGINE FIRE/OVERHEAT DETECTOR ELEMENTS, ASSOCIATED WIRING AND SUPPORT CLAMPS FOR CONDITION AND SECURITY OF INSTALLATION.	MPD B26-11-11-A-2 (A4)	AFG-PID-26085-12 17	
85.	26-021-12-01	CHECK ENGINE FIRE EXTINGUISHING BOTTLE PRESSURE GAUGES FOR CORRECT PRESSURE.	MPD B26-21-11-6A (A4)	AFG-PID-26085-12 17	
86.	26-023-04-01	VISUALLY CHECK THAT ALL PORTABLE FIRE EXTINGUISHERS ARE ON BOARD, PROPERLY STOWED AND HANDLES ARE SAFETIED.	MPD B26-23-00-A (A4)	AFG-PID-26085-12 17	
87.	26-024-11-01	VISUALLY CHECK EACH LAVATORY FIRE EXTINGUISHER BOTTLE, DISCHARGE NOZZLE, SUPPORT BRACKET, HEAT FUSIBLE TIPS AND TEMPERATURE INDICATORS FOR CONDITION	MPD B26-24-11-6A (A4)	AFG-PID-26085-12 17	
88.	27-062-00-01	OPERATIONALLY CHECK THE SPEED BRAKE RTO CONTROL SYSTEM.	MPD B27-62-00-5A (A4)	AFG-PID-26085-12 17	
89.	28-015-00-02	OPERATIONALLY CHECK THE CENTER TANK FUEL SCAVENGE SYSTEM.	MPD B28-15-00-5A (A4)	AFG-PID-26085-12 17	
90.	28-015-11-01	REMOVE FUEL SCAVENGE JET PUMP NOZZLE AND CLEAN/INSPECT NOZZLE AS REQUIRED.	MPD B28-15-11-6A (A4)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		14 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
91.	33-028-00-01	OPERATIONALLY CHECK THE AIR STAIRS TREADWAY LIGHTS. (1) APPLICABLE TO AIRPLANES EQUIPPED WITH FORWARD AIR STAIRS.	MPD B33-28-00-2A (A4)	AFG-PID-26085-12 17	
92.	49-011-00-01	VISUALLY CHECKTHE APU COMPARTMENT INCLUDING UPPER AND LOWER SHROUDS, TURBINE EXHAUST DUCTING, VISIBLE AIR INLET DUCTING, BLEED AIR DUCTING, WIRING, AND FUEL LINES	MPD B49-11-00-A (A4)	AFG-PID-26085-12 17	
93.	49-011-01-01	LEAK CHECK APU BY MOTORING APU AND VISUALLY CHECKING FOR EVIDENCE OF FUEL AND OIL LEAKS, ESPECIALLY IN FILTER AREAS, AFTER REPLACING FILTERS.	MPD B49-11-00-B (A4)	AFG-PID-26085-12 17	
94.	49-013-00-01	VISUALLY CHECK APU INSTALLATION FOR CONDITION AND SECURITY OF INSTALLATION.	MPD B49-13-00-A (A4)	AFG-PID-26085-12 17	
95.	49-016-12-01	VISUALLY CHECK THE APU COWL DOOR INCLUDING COOLING AIR EXHAUST VENT, DRAIN MAST FITTINGS AND DRAIN SEAL PLATES FOR CRACKS, CONDITION AND SECURITY OF INSTALLATION.	MPD B49-16-11-A (A4)	AFG-PID-26085-12 17	
96.	49-021-00-01	VISUALLY CHECK EXPOSED PORTIONS OF THE TURBINE PLENUM FOR CRACKS AND EVIDENCE OF HOT GAS LEAKAGE, ESPECIALLY IN AREAS OF TURBINE PLENUM GASKET.	MPD B49-21-00-A (A4)	AFG-PID-26085-12 17	
97.	49-031-22-01	REPLACE THE APU LOW PRESSURE FUEL FILTER ELEMENT.	MPD B49-31-22-4A (A4)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		15 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
98.	49-031-42-01	REMOVE, CHECK, AND REPLACE AS NECESSARY, THE APU COMBUSTOR ASSEMBLY (THIS ASSEMBLY INCLUDES THE COMBUSTION CHAMBER LINER, FUEL ATOMIZER, IGNITOR PLUG, AND COMBUSTOR CAP). THESE COMPONENTS ARE REMOVED AND INSTALLED AS A UNIT.	MPD B49-31-42-4A (A4)	AFG-PID-26085-12 17	
99.	49-031-81-01	REPLACE THE APU HIGH PRESSURE FUEL FILTER ELEMENT.	MPD B49-31-81-3A (A4)	AFG-PID-26085-12 17	
100.	49-031-92-01	OPERATIONALLY CHECK THE APU FUEL SENSING FLOW CONTROL VALVE.	MPD B49-31-92-5A (A4)	AFG-PID-26085-12 17	
101.	49-051-00-01	CLEAN APU COOLING AIR FAN INLET SCREEN. INSPECT AND CLEAN (IF NECESSARY) THE INLET AND OUTLET SURFACES OF THE OIL COOLER.	MPD B49-51-00-2A (A4)	AFG-PID-26085-12 17	
102.	49-052-21-01	CLEAN APU DIFFERENTIAL AIR PRESSURE REGULATOR FILTER ELEMENT.	MPD B49-52-21-3A (A4)	AFG-PID-26085-12 17	
103.	49-091-12-01	REPLACE THE APU MAIN OIL FILTER ELEMENT.	MPD B49-91-12-4A (A4)	AFG-PID-26085-12 17	
104.	49-091-61-01	VISUALLY CHECK THE APU OIL TANK VENT LINE FOR BLOCKAGE, CONDITION AND SECURITY OF INSTALLATION.	MPD B49-91-61-6A (A4)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		16 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
105.	71-001-01-01	VISUALLY CHECK THE LEFT ENGINE COMPONENTS INCLUDING ASSOCIATED WIRING, TUBING, LINKAGES, CABLES AND SUPPORT BRACKETS FOR CONDITION AND SECURITY OF INSTALLATION.	MPD C71-00-00-A-1 (A4)	AFG-PID-26085-12 17	
106.	71-001-01-02	VISUALLY CHECK THE RIGHT ENGINE COMPONENTS INCLUDING ASSOCIATED WIRING, TUBING, LINKAGES, CABLES AND SUPPORT BRACKETS FOR CONDITION AND SECURITY OF INSTALLATION.	MPD C71-00-00-A-2 (A4)	AFG-PID-26085-12 17	
107.	71-011-01-01	VISUALLY CHECK THE LEFT ENGINE INLET COWL FOR DELAMINATION, CONDITION AND SECURITY OF INSTALLATION.	MPD C71-11-01-6A-1 (A4)	AFG-PID-26085-12 17	
108.	71-011-01-02	VISUALLY CHECK THE RIGHT ENGINE INLET COWL FOR DELAMINATION, CONDITION AND SECURITY OF INSTALLATION.	MPD C71-11-01-6A-2 (A4)	AFG-PID-26085-12 17	
109.	72-001-00-01	BORESCOPE INSPECT THE LEFT ENGINE HIGH PRESSURE TURBINE NOZZLE GUIDE VANES AND BLADES.	MPD C72-00-00-6A-1	AFG-PID-26085-12 17	
110.	72-001-00-02	BORESCOPE INSPECT THE RIGHT ENGINE HIGH PRESSURE TURBINE NOZZLE GUIDE VANES AND BLADES.	MPD C72-00-00-6A-2	AFG-PID-26085-12 17	
111.	72-031-01-01	VISUALLY CHECK THE LEFT ENGINE INLET SPINNER FOR CONDITION AND SECURITY OF INSTALLATION.	MPD C72-31-01-6A-1 (A4)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		17 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
112.	72-031-01-02	VISUALLY CHECK THE RIGHT ENGINE INLET SPINNER FOR CONDITION AND SECURITY OF INSTALLATION.	MPD C72-31-01-6A-2 (A4)	AFG-PID-26085-12 17	
113.	72-031-03-01	PERFORM A DETAILED INSPECTION OF THE LEFT ENGINE FAN ROTOR BLADES FOR CONDITION AND SECURITY OF INSTALLATION TO THE EXTENT POSSIBLE WITHOUT REMOVING BLADES.	MPD C72-31-02-6A-1 (A4)	AFG-PID-26085-12 17	
114.	72-031-03-02	PERFORM A DETAILED INSPECTION OF THE RIGHT ENGINE FAN ROTOR BLADES FOR CONDITION AND SECURITY OF INSTALLATION TO THE EXTENT POSSIBLE WITHOUT REMOVING BLADES.	MPD C72-31-02-6A-2 (A4)	AFG-PID-26085-12 17	
115.	72-031-04-01	VISUALLY CHECK THE LEFT ENGINE BOOSTER FIRST STAGE STATOR VANES FOR CONDITION.	MPD C72-31-03-6A-1 (A4)	AFG-PID-26085-12 17	
116.	72-031-04-02	VISUALLY CHECK THE RIGHT ENGINE BOOSTER FIRST STAGE STATOR VANES FOR CONDITION.	MPD C72-31-03-6A-2 (A4)	AFG-PID-26085-12 17	
117.	72-033-00-01	PERFORM A DETAILED INSPECTION OF THE LEFT ENGINE FAN FRAME MODULE IN ENGINE INLET AREA FOR DAMAGE AND/OR MISSING ABRADABLE/ACOUSTICAL MATERIAL.	MPD C72-33-00-6A-1 (A4)	AFG-PID-26085-12 17	
118.	72-033-00-02	PERFORM A DETAILED INSPECTION OF THE RIGHT ENGINE FAN FRAME MODULE IN ENGINE INLET AREA FOR DAMAGE AND/OR MISSING ABRADABLE/ACOUSTICAL MATERIAL.	MPD C72-33-00-6A-2 (A4)	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		18 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
119.	74-001-00-01	OPERATIONALLY CHECK THE LEFT ENGINE IGNITERS USING AUDIBLE/VISUAL SPARK TEST METHOD.	MPD C74-00-00-5A-1 (A4)	AFG-PID-26085-12 17	
120.	74-001-00-02	OPERATIONALLY CHECK THE RIGHT ENGINE IGNITERS USING AUDIBLE/VISUAL SPARK TEST METHOD.	MPD C74-00-00-5A-2 (A4)	AFG-PID-26085-12 17	
121.	12-013-22-03	REPLACE THE LEFT ENGINE CONSTANT SPEED DRIVE (CSD) CASE OIL. DRAIN CSD OIL AND CHECK MAGNETIC CHIP DETECTOR	MPD B12-13-21-3B-1	AFG-PID-26085-12 17	
122.	12-013-22-04	REPLACE THE RIGHT ENGINE CONSTANT SPEED DRIVE (CSD) CASE OIL. DRAIN CSD OIL AND CHECK MAGNETIC CHIP DETECTOR	MPD B12-13-21-3B-2	AFG-PID-26085-12 17	
123.	12-022-41-01	LUBRICATE THE STABILIZER TRIM JACKSCREW.	MPD B12-22-41-3A	AFG-PID-26085-12 17	
124.	12-022-53-01	LUBRICATE THE LEFT WING TRAILING EDGE FLAP TRANSMISSION #4 BALLSCREW SHAFT THREADS	MPD B12-22-51-3C-1	AFG-PID-26085-12 17	
125.	12-022-53-02	LUBRICATE THE RIGHT WING TRAILING EDGE FLAP TRANSMISSION #5 BALLSCREW SHAFT THREADS (TOP THREE AND BOTTOM	MPD B12-22-51-3C-2	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		19 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
126.	12-022-54-01	LUBRICATE THE LEFT WING TRAILING EDGE FLAP TRACKS AND BALLSCREW THREADS.	MPD B12-22-51-3D-1	AFG-PID-26085-12 17	
127.	12-022-54-02	LUBRICATE THE RIGHT WING TRAILING EDGE FLAP TRACKS AND BALLSCREW THREADS.	MPD B12-22-51-3D-2	AFG-PID-26085-12 17	
128.	12-022-71-01	LUBRICATE THE LEFT WING LEADING EDGE SLAT TRACK ROLLERS.	MPD B12-22-71-3A-1	AFG-PID-26085-12 17	
129.	12-022-71-02	LUBRICATE THE RIGHT WING LEADING EDGE SLAT TRACK ROLLERS.	MPD B12-22-71-3A-2	AFG-PID-26085-12 17	
130.	12-022-72-01	LUBRICATE THE LEFT WING LEADING EDGE KRUEGER FLAP SEAL DOOR CAM ROLLER, SLEEVE AND HINGE PIN.	MPD B12-22-71-3B-1	AFG-PID-26085-12 17	
131.	12-022-72-02	LUBRICATE THE RIGHT WING LEADING EDGE KRUEGER FLAP SEAL DOOR CAM ROLLER, SLEEVE AND HINGE PIN.	MPD B12-22-71-3B-2	AFG-PID-26085-12 17	
132.	12-025-11-01	LUBRICATE THE AFT ENTRY DOOR MECHANISMS.	MPD B12-25-11-3A	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		20 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
133.	12-025-21-01	LUBRICATE THE FORWARD ENTRY DOOR MECHANISMS.	MPD B12-25-21-3A	AFG-PID-26085-12 17	
134.	12-025-41-01	LUBRICATE THE FORWARD GALLEY DOOR MECHANISMS.	MPD B12-25-41-3A-1	AFG-PID-26085-12 17	
135.	12-025-41-02	LUBRICATE THE AFT GALLEY DOOR MECHANISMS.	MPD B12-25-41-3A-2	AFG-PID-26085-12 17	
136.	12-025-95-01	LUBRICATE THE LEFT WING OUTBOARD LANDING LIGHT MECHANISM.	MPD B12-25-95-3A-1	AFG-PID-26085-12 17	
137.	12-025-95-02	LUBRICATE THE RIGHT WING OUTBOARD LANDING LIGHT MECHANISM.	MPD B12-25-95-3A-2	AFG-PID-26085-12 17	
138.	21-058-03-01	CLEAN AND CHECK EADI AND EHSI INLET AND OUTLET SCREENS. (1) APPLICABLE TO AIRCRAFT EQUIPPED WITH EFIS.	MPD B21-58-02-6A	AFG-PID-26085-12 17	
139.	21-058-61-01	CLEAN AND INSPECT THE EFIS COOLING AIR CLEANER. (1) APPLICABLE TO 737 AIRCRAFT EQUIPPED WITH EFIS.	MPD B21-58-61-2A	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		21 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
140.	24-011-31-01	REPLACE THE LEFT ENGINE CSD GENERATOR DRIVE LINE OIL FILTER ELEMENT.	MPD B24-11-31-2A-1	AFG-PID-26085-12 17	
141.	24-011-31-02	REPLACE THE RIGHT ENGINE CSD GENERATOR DRIVE LINE OIL FILTER ELEMENT.	MPD B24-11-31-2A-2	AFG-PID-26085-12 17	
142.	24-011-41-01	REPLACE THE LEFT ENGINE CSD/GENERATOR DRIVE INTEGRAL OIL FILTER ELEMENT. (1) APPLICABLE	MPD B24-11-41-2A-1	AFG-PID-26085-12 17	
143.	24-011-41-02	REPLACE THE RIGHT ENGINE CSD/GENERATOR DRIVE INTEGRAL OIL FILTER ELEMENT.	MPD B24-11-41-2A-2	AFG-PID-26085-12 17	
144.	24-031-21-01	OPERATIONALLY CHECK THE BATTERY CHARGER UNIT. (1) APPLICABLE TO AIRPLANES WITH STANDARD BATTERY	MPD B24-31-21-5A	AFG-PID-26085-12 17	
145.	25-001-12-01	VACUUM CLEAN LINT AND DEBRIS FROM AIR RETURN GRILLES IN CARPET RISERS THROUGHOUT THE PASSENGER CABIN.	MPD B25-01-12-A	AFG-PID-26085-12 17	
146.	25-052-00-01	VISUALLY CHECKTHE FORWARD CARGO COMPARTMENT CARGO HANDLING NETS AND TIE DOWN EQUIPMENT FOR TEARS,	MPD B25-52-00-A	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		22 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
147.	25-052-00-02	VISUALLY CHECK THE AFT CARGO COMPARTMENT CARGO HANDLING NETS AND TIE DOWN EQUIPMENT FOR TEARS, CRACKS, CONDITION AND SECURITY OF	MPD B25-52-00-B	AFG-PID-26085-12 17	
148.	25-061-36-01	VISUALLY INSPECT THE ESCAPE SLIDE RELEASE LATCH CABLE FOR FRAYING OR OTHER SIGNS OF WEAR.	MPD B25-61-35-A	AFG-PID-26085-12 17	
149.	27-011-94-01	INSPECT RUDDER TRIM SWITCH FOR CONTAMINATION BY REMOVING RUDDER TRIM SWITCH KNOB	MPD B27-11-94-4A	AFG-PID-26085-12 17	
150.	29-015-61-01	REPLACE THE HYDRAULIC SYSTEM "A" RETURN FILTER ELEMENT.	MPD B29-15-61-2B-1	AFG-PID-26085-12 17	
151.	29-015-61-02	REPLACE THE HYDRAULIC SYSTEM "B" RETURN FILTER ELEMENT.	MPD B29-15-61-2B-2	AFG-PID-26085-12 17	
152.	29-015-91-01	REPLACE THE LEFT ENGINE DRIVEN HYDRAULIC PUMP (EDP) CASE DRAIN FILTER ELEMENT.	MPD B29-15-91-2A-1	AFG-PID-26085-12 17	
153.	29-015-91-02	REPLACE THE RIGHT ENGINE DRIVEN HYDRAULIC PUMP (EDP) CASE DRAIN FILTER ELEMENT.	MPD B29-15-91-2A-2	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		23 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
154.	30-041-00-01	VISUALLY CHECK THE CONTROL CABIN WINDOW (ELECTRICAL) HEAT CORD ON BOTH CAPTAIN AND FIRST OFFICER SIDE	MPD B30-41-00-A	AFG-PID-26085-12 17	
155.	35-012-01-01	CROSS CHECK GAGE ON CREW OXYGEN BOTTLE IN FORWARD CARGO COMPARTMENT WITH CONTROL CABIN	MPD B35-12-00-D	AFG-PID-26085-12 17	
156.	38-031-00-01	CLEAN THE LAVATORY SINK CABINET DRAIN AND VENTILATION MUFFLER. MAKE SURE THE VENT LINE	MPD B38-31-00-A	AFG-PID-26085-12 17	
157.	49-031-71-01	CHECK AND CLEAN THE APU TURBINE PLENUM AND BURNER CAN DRAINS. (1) APPLICABLE TO AIRPLANES WITH GARRETT	MPD B49-31-71-6A	AFG-PID-26085-12 17	
158.	52-061-10-01	WITH FORWARD AIRSTAIR EXTENDED, VISUALLY CHECK AIRSTAIR ACTUATING MECHANISMS	MPD B52-61-10-A	AFG-PID-26085-12 17	
159.	72-001-01-01	BORESCOPE INSPECT THE LEFT ENGINE COMBUSTION CHAMBER.	MPD C72-00-00-6B-1	AFG-PID-26085-12 17	
160.	72-001-01-02	BORESCOPE INSPECT THE RIGHT ENGINE COMBUSTION CHAMBER.	MPD C72-00-00-6B-2	AFG-PID-26085-12 17	



A/C Model	Registration	MSN	Station	Work Order #	Title	Date	Page No.
B737-400	YA-PID	26085	Kabul	AFG-PID-26085-1217	1A,2A,4A,8A - CHECK		24 of 24

No	Card No.	Description	Reference	Work Order No.	Check By
161.	772-043	CFM56-3C ENGINE GAS PATH CLEANING	MPD T72-00-00-7A	AFG-PID-26085-12 17	
162.	772-043	CFM56-3C ENGINE GAS PATH CLEANING	MPD T72-00-00-7A	AFG-PID-26085-12 17	